



GREY MATTERS INFORMATION SHEET SERIES:

Reference list and citation details



Information Sheet 1

Nicholas, R., & Roche, AM. (2014). *Why the growing use of alcohol and other drugs among older Australians needs attention. Grey Matters Information Sheet Series.* Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Commonwealth of Australia. (2010). *Australia to 2050: Future challenges.* Canberra: Commonwealth of Australia.
2. Dowling, G., Weiss, S., & Condon, T. (2008). Drugs of abuse and the aging brain. *Neuropsychopharmacology*, 33(2), 209-218.
3. Australian Bureau of Statistics. (2011). *Population by age and sex, Australian states and territories.* Canberra: Australian Bureau of Statistics.
4. Gossop, M. (2008). *Substance use among older adults: A neglected problem.* Lisbon, Portugal: European Monitoring Centre for Drugs and Drug Addiction.

Information Sheet 2

Nicholas, R., & Roche, AM. (2014). *Alcohol and other drug use and healthy ageing: Patterns of use and harm among older Australians. Grey Matters Information Sheet Series.* Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Wilkinson, C., Dare, J., Waters, S., Allsop, S., & McHale, S. (2012). *An exploration of how social context and type of living arrangement are linked to alcohol consumption amongst older Australians.* Canberra: Foundation for Alcohol Research and Education.
2. National Centre for Education and Training on Addiction (2013). *Secondary analysis of 2010 National Drug Strategy Household Survey.* Adelaide: NCETA.
3. Australian Bureau of Statistics (2013). *Australian 2010 mortality data.* Canberra: Australian Bureau of Statistics.
4. National Centre for Education and Training on Addiction (2013). *Secondary analysis of 2009-10 Australian hospital separations data.* Adelaide: NCETA.

5. Hunter, B., Lubman, D., & Barratt, M. (2011). Alcohol and drug misuse in the elderly. *Australian and New Zealand Journal of Psychiatry*, 45(4), 343-343.
6. Chikritzhs, T., & Pascal, R. (2005). *Trends in alcohol consumption and related harms for Australians aged 65 to 74 Years (the 'young-old'), 1990–2003*. Perth: National Drug Research Institute, Curtin University, WA.
7. Australian Institute of Health and Welfare. (2011). *2010 National Drug Strategy Household Survey Report*. Canberra: Australian Institute of Health and Welfare.
8. Roxburgh, A., Bruno, R., Larance, B., & Burns, L. (2011). Prescription of opioid analgesics and related harms in Australia. *Medical Journal of Australia*, 5, 280-284.
9. Hollingworth, S. A., & Siskind, D. J. (2010). Anxiolytic, hypnotic and sedative medication use in Australia. *Pharmacoepidemiology and Drug Safety*, 19(3), 280-288.

Information Sheet 3

Nicholas, R., & Roche, AM. (2014). *The silver tsunami: The impact of Australia's ageing population*. Grey Matters Information Sheet Series. Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Royal College of Psychiatrists. (2011). *Our invisible addicts*. London: Royal College of Psychiatrists.
2. Gossop, M. (2008). *Substance use among older adults: A neglected problem*. Lisbon, Portugal: European Monitoring Centre for Drugs and Drug Addiction.
3. Wadd, S., Lapworth, K., Sullivan, M., Forrester, D., & Galvani, S. (2011). *Working with older drinkers*. Bedford: Tilda Goldberg Centre, University of Bedfordshire.
4. Kelsall, J., Parkes, P., Watson, M., Madden, A., & Byrne, J. (2011). *Double Jeopardy: Older injecting opioid users in Australia*. Canberra: Australian Injecting and Illicit Drug Users League.

Information Sheet 4

Nicholas, R., & Roche, AM. (2014). *Prevention and screening programs*. Grey Matters Information Sheet Series. Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Hunter, B. (2011). *Older people and alcohol and other drugs*. Melbourne: Australian Drug Foundation.
2. Substance Abuse and Mental Health Services Administration. (1998). *Substance abuse among older adults: Treatment Improvement Protocol (TIP) Series, No. 26*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
3. National Prescribing Service. (2014). *Medicinewise*. Viewed 21/10/2014, at: <http://www.nps.org.au/>
4. Hunter, B., Lubman, D., & Barratt, M. (2011). Alcohol and drug misuse in the elderly. *Australian and New Zealand Journal of Psychiatry*, 45(4), 343-343.
5. Hunter, B., & Lubman, D. (2010). Substance misuse: Management in the older population. *Australian Family Physician*, 39(10), 73-741.

6. Caputo, F., Vignoli, T., Leggio, L., Addolorato, G., Zoli, G., & Bernardi, M. (2012). Alcohol use disorders in the elderly: A brief overview from epidemiology to treatment options. *Experimental Gerontology*, 47(6), 411-416.
7. Bright, S., Fink, A., Beck, J., Gabriel, J., & Singh, D. (2013). Development of an Australian version of the Alcohol Related Problems Survey: A comprehensive computerised screening tool for older adults. *Australasian Journal on Ageing*. DOI: 10.1111/ajag.12098

Information Sheet 5

Nicholas, R., & Roche, AM. (2014). *Barriers and enablers to accessing assistance*. Grey Matters Information Sheet Series. Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Wadd, S., Lapworth, K., Sullivan, M., Forrester, D., & Galvani, S. (2011). *Working with older drinkers*. Bedford: Tilda Goldberg Centre, University of Bedfordshire.
2. Royal College of Psychiatrists. (2011). *Our invisible addicts*. London: Royal College of Psychiatrists.
3. Substance Abuse and Mental Health Services Administration. (1998). *Substance abuse among older adults: Treatment Improvement Protocol (TIP) Series, No. 26*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
4. DrugScope. (2014). *It's about time: Tackling substance misuse in older people*. London: DrugScope.

Information Sheet 6

Nicholas, R., & Roche, AM. (2014). *Common substance use co-morbidities*. Grey Matters Information Sheet Series. Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Gossop, M. (2008). *Substance use among older adults: A neglected problem*. Lisbon, Portugal: European Monitoring Centre for Drugs and Drug Addiction.
2. Royal College of Psychiatrists. (2011). *Our invisible addicts*. London: Royal College of Psychiatrists.
3. Substance Abuse and Mental Health Services Administration. (1998). *Substance abuse among older adults: Treatment Improvement Protocol (TIP) Series, No. 26*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
4. Caputo, F., Vignoli, T., Leggio, L., Addolorato, G., Zoli, G., & Bernardi, M. (2012). Alcohol use disorders in the elderly: A brief overview from epidemiology to treatment options. *Experimental Gerontology*, 47(6), 411-416.
5. Devanand, D. (2002). Comorbid psychiatric disorders in late life depression. *Biological Psychiatry*, 52(3), 236-242.
6. Hunter, B., & Lubman, D. (2010). Substance misuse: Management in the older population. *Australian Family Physician*, 39(10), 738-741.
7. Eliassen, M., Grønkjær, M., Skov-Ettrup, L. S., Mikkelsen, S. S., Becker, U., Tolstrup, J. S., & Flensburg-Madsen, T. (2013). Preoperative alcohol consumption and postoperative complications: A systematic review and meta-analysis. *Annals of surgery*, 258(6), 930-942.
8. Oppedal K, Møller AM, Pedersen B, Tønnesen H. *Preoperative alcohol cessation prior to elective surgery*. *Cochrane Database of Systematic Reviews 2012, Issue 7*. Art. No.: CD008343. DOI: 10.1002/14651858.CD008343.pub2.

Information Sheet 7

Nicholas, R., & Roche, AM. (2014). *Older Australians, opioids and the treatment of pain. Grey Matters Information Sheet Series*. Adelaide: National Centre for Education and Training on Addiction, Flinders University.

References

1. Blyth F, March L, Cousins M. (2003). Chronic pain-related disability and use of analgesia and health services in a Sydney community. *Medical Journal of Australia*, 179 (2), 84.
2. Gadzhanova, S., Bell, J. S., & Roughead, E. E. (2013). What analgesics do older people use prior to initiating oxycodone for non-cancer pain? A Retrospective Database Study. *Drugs & Aging*, 30 (11), 921-926.
3. The MBF Foundation, 2007. *The high price of pain: The economic impact of persistent pain in Australia*, viewed 14/10/2014, at: http://www.painaustralia.org.au/images/pain_australia/MBF%20Economic%20Impact.pdf
4. Royal Australian College of Physicians (2009). *Prescription opioid policy: Improving management of chronic non-malignant pain and prevention of problems associated with prescription opioid use*. Sydney: The Royal Australasian College of Physicians.
5. Noble, M., Treadwell, J. R., Tregear, S. J., Coates, V. H., Wiffen, P. J., Akafomo, C., et al. (2010). *Long-term opioid management for chronic non-cancer pain (Review)*. *Cochrane Database of Systematic Reviews*, 2010, Issue 1. Art. No. CD006605.
6. World Health Organization. WHO pain relief ladder. Viewed 16/10/2014 at: <http://www.who.int/cancer/palliative/painladder/en/>
7. Roxburgh, A., Bruno, R., Larance, B., & Burns, L. (2011). Prescription of opioid analgesics and related harms in Australia. *Medical Journal of Australia*, 5, 280-284.
8. Roxburgh, A., Burns, L., Drummer, O., Pilgrim, J., Farrell, M., & Degenhardt, L. (2013). Trends in fentanyl prescriptions and fentanyl-related mortality in Australia. *Drug and Alcohol Review*, 32(3), 269-275.
9. National Opioid Use Guideline Group (2010). *Canadian guidelines for safe and effective use of opioids for chronic non-cancer pain*. Ontario (CAN): NOUGG; 2010.
10. Baldini, A., Von Korff, M., & Lin, E. (2012). *A review of potential adverse effects of long-term opioid therapy: a practitioner's guide*. The Primary Care Companion to CNS Disorders, 14(3).